



2012 - Mazda6 - Body and Accessories

COWL GRILLE REMOVAL/ INSTALLATION


1. Remove the windshield wiper arm and blade. (See [WINDSHIELD WIPER ARM AND BLADE REMOVAL/ INSTALLATION](#))
2. Remove the fastener A.



3. Pull the front fender molding in the direction of the arrow shown in the figure and remove it while remove the tab B and tab C.
4. Disconnect the windshield washer hose from the joint pipe A. (See [WINDSHIELD WASHER HOSE REMOVAL/ INSTALLATION](#))
5. Remove the fasteners D.



6. Pull the cowl grille in the direction of arrow (1) so that it is free from the pins E, pull tabs F in the direction of arrow (2).




7. Remove the cowl grille.

8. Install in the reverse order of removal.


2012 - Mazda6 - Body and Accessories

COWL GRILLE REMOVAL/ INSTALLATION


1. Remove the windshield wiper arm and blade. (See [WINDSHIELD WIPER ARM AND BLADE REMOVAL/ INSTALLATION](#))
2. Remove the fastener A.



3. Pull the front fender molding in the direction of the arrow shown in the figure and remove it while remove the tab B and tab C.
4. Disconnect the windshield washer hose from the joint pipe A. (See [WINDSHIELD WASHER HOSE REMOVAL/ INSTALLATION](#))
5. Remove the fasteners D.



6. Pull the cowl grille in the direction of arrow (1) so that it is free from the pins E, pull tabs F in the direction of arrow (2).



7. Remove the cowl grille.

8. Install in the reverse order of removal.

